
易清a4.pdf 1 2026/7/24 9:22:50

GLASS POOL FENCING & HARDWARE

KOMO GLASS



易语a4.pdf 2 2026/7/24 9:22:51

KOMO GLASS

CATALOGUE

Pool Glass

1200mm High Toughened Glass Pool Fence Panels — 01

1200mm High Enduroshield Coated Toughened Glass Panels (VIC Depot Only) — 06

1350mm High Toughened Glass Pool Fence Panels — 08

Hardware Range

Core Drill Spigots — 10

Base Plated Spigots — 11

Side-Mount Spigots — 12

Face-Mount Spigots — 12

Spigot Dress Rings — 13

Spigot Placement Guide — 14

Polaris Soft Close Hinge Range — 15

Atlantic Soft Close Hinge Range — 16

Orion Soft Close Hinge Range — 17

Classic Series Spring Hinge Range — 18

Libra Series Latches — 19

Aero Series Latches — 21

Classic Series Latches — 23

Rigi Clamps — 25

Stainless Steel Posts — 28

Aluminium Pool Fencing

Flat Top Aluminium Pool Fencing — 30

Aluminium Post and Accessories — 32

RODMO ™ Fencing

Stainless Steel RODMO™ Fencing — 35

易语a4.pdf 3 2026/7/24 9:22:51

1200MM HIGH TOUGHENED GLASS POOL FENCE PANELS

12mm Glass Pool Fence Panels

12mm Clear Toughened Glass


AS 2208 Compliant

Compliant to AS1926.1- 2024

5mm Radius on Corners

No Holes

All Flat Polished Edges



12mm Glass Pool Fence Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-100	1200	100	3
12KM-150	1200	150	5
12KM-200	1200	200	7
12KM-250	1200	250	9
12KM-300	1200	300	11
12KM-350	1200	350	13
12KM-400	1200	400	14
12KM-450	1200	450	16
12KM-500	1200	500	18
12KM-550	1200	550	20
12KM-600	1200	600	22
12KM-650	1200	650	23
12KM-700	1200	700	25
12KM-750	1200	750	27
12KM-800	1200	800	29
12KM-850	1200	850	31
12KM-900	1200	900	32
12KM-950	1200	950	34
12KM-1000	1200	1000	36
12KM-1050	1200	1050	38

12mm Glass Pool Fence Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-1100	1200	1100	40
12KM-1150	1200	1150	41
12KM-1200	1200	1200	43
12KM-1250	1200	1250	45
12KM-1300	1200	1300	47
12KM-1350	1200	1350	49
12KM-1400	1200	1400	50
12KM-1450	1200	1450	52
12KM-1500	1200	1500	54
12KM-1550	1200	1550	56
12KM-1600	1200	1600	58
12KM-1650	1200	1650	59
12KM-1700	1200	1700	61
12KM-1750	1200	1750	63
12KM-1800	1200	1800	65
12KM-1850	1200	1850	67
12KM-1900	1200	1900	68
12KM-1950	1200	1950	70
12KM-2000	1200	2000	72


易语a4.pdf 4 2026/7/24 9:22:52

KOMO GLASS

1200MM HIGH TOUGHENED GLASS POOL FENCE PANELS

12mm Glass Pool Fence Hinge Panels

- 12mm Clear Toughened Glass
- 600mm to 2000mm Wide (50mm Increment)
- 5mm Radius on Corners
- 2 X Hinge Cut Outs
- All Flat Polished Edges
- AS 2208 Compliant
- AS 1926.1-2024 Compliant



12mm Glass Pool Fence Hinge Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-600HP	1200	600	21
12KM-650HP	1200	650	23
12KM-700HP	1200	700	25
12KM-750HP	1200	750	27
12KM-800HP	1200	800	29
12KM-850HP	1200	850	31
12KM-900HP	1200	900	32
12KM-950HP	1200	950	34
12KM-1000HP	1200	1000	36
12KM-1050HP	1200	1050	38
12KM-1100HP	1200	1100	40
12KM-1150HP	1200	1150	41
12KM-1200HP	1200	1200	43
12KM-1250HP	1200	1250	45
12KM-1300HP	1200	1300	47
12KM-1350HP	1200	1350	49
12KM-1400HP	1200	1400	50
12KM-1450HP	1200	1450	52
12KM-1500HP	1200	1500	54
12KM-1550HP	1200	1550	56
12KM-1600HP	1200	1600	58

12mm Glass Pool Fence Hinge Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-1650HP	1200	1650	59
12KM-1700HP	1200	1700	63
12KM-1750HP	1200	1750	63
12KM-1800HP	1200	1800	65
12KM-1850HP	1200	1850	67
12KM-1900HP	1200	1900	68
12KM-1950HP	1200	1950	70
12KM-2000HP	1200	2000	72




易语a4.pdf 5 2026/7/24 9:22:52

KOMO GLASS


1200MM HIGH TOUGHENED GLASS POOL FENCE PANELS

12mm Glass Pool Fence Gate Panels

- 12mm Clear Toughened Glass
- 800mm to 900mm Wide (50mm Increment)
- 5mm Radius on Corners
- 2 X Hinge Cut Outs
- 2 x Ø13mm Diameter Holes
- All Flat Polished Edges
- AS 2208 Compliant
- AS 1926.1-2024 Compliant




Glass to Glass




Glass to Wall

12mm Glass Pool Fence Gate Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-800GP	1200	800	29
12KM-800WP	1200	800	29
12KM-850GP	1200	850	31
12KM-850WP	1200	850	31
12KM-900GP	1200	900	32
12KM-900WP	1200	900	32



Glass to Glass Gate Panel




Glass to Wall Gate Panel

8mm Glass Pool Fence Gate Panels

- 8mm Clear Toughened Glass
- 800mm to 900mm Wide (50mm Increment)
- 5mm Radius on Corners
- 2 X Hinge Cut Outs
- 2 x Ø10mm Diameter Holes
- All Flat Polished Edges
- AS 2208 Compliant
- AS 1926.1-2024 Compliant

8mm Glass Pool Fence Gate Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-800GC	1200	800	19
12KM-850GC	1200	850	20
12KM-900GC	1200	900	22



易语a4.pdf 6 2026/7/24 9:22:52

KOMO GLASS

1200MM HIGH TOUGHENED GLASS POOL FENCE PANELS

12mm Retaining Panels

12mm Clear Toughened Glass

1300mm - 1700mm (50mm Increments)

1700mm - 2000mm (100mm Increments)

5mm Radius on Corners


No Holes

All Flat Polished Edges

AS 2208 Compliant

AS 1926.1-2024 Compliant

12mm Retaining Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KM-1300R	1300	1200	46
12KM-1350R	1350	1200	47
12KM-1400R	1400	1200	48
12KM-1450R	1450	1200	49
12KM-1500R	1500	1200	50
12KM-1550R	1550	1200	51
12KM-1600R	1600	1200	53
12KM-1650R	1650	1200	54
12KM-1700R	1700	1200	55
12KM-1800R	1800	1200	58
12KM-1900R	1900	1200	60
12KM-2000R	2000	1200	62



易语a4.pdf 7 2026/7/24 9:22:53

KOMO GLASS

1200MM HIGH TOUGHENED GLASS POOL FENCE PANELS

12mm Curved Glass Panel

12mm Clear Toughened Glass

Available in 750mm, 1600mm and 2000mm Radius

5mm Radius on Corners


No Holes

All Flat Polished Edges

AS 2208 Compliant

12mm Curved Glass Panel				
Code	Height(mm)	Radius(mm)	Arc Length(mm)	Weight(kg)
12KM-1200C-R750	1200	750	1178	42
12KM-1200C-R1600	1200	1600	1200	43
12KM-1550C-R2000	1200	2000	1550	56






易语a4.pdf 8 2026/7/24 9:22:53

1200MM HIGH ENDUROSHIELD COATED TOUGHENED GLASS PANELS (VIC DEPOT ONLY)


- 12mm Toughened Glass
- 5 mm Radius Corner and All Flat Polished Edges
- Fully Compliant With AS 2208: 2023
- Factory Applied Enduro Shield Coating
- 10 Year Manufacturer Warranty (T&C Apply)



EnduroShield Coated Glass Fencing Panels

EnduroShield Coated Glass Fencing Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KMES-600	1200	600	22
12KMES-650	1200	650	23
12KMES-700	1200	700	25
12KMES-750	1200	750	27
12KMES-800	1200	800	29
12KMES-850	1200	850	31
12KMES-900	1200	900	32
12KMES-950	1200	950	34
12KMES-1000	1200	1000	36
12KMES-1050	1200	1050	38
12KMES-1100	1200	1100	40
12KMES-1150	1200	1150	41
12KMES-1200	1200	1200	43
12KMES-1250	1200	1250	45
12KMES-1300	1200	1300	47
12KMES-1350	1200	1350	49
12KMES-1400	1200	1400	50
12KMES-1450	1200	1450	52

EnduroShield Coated Glass Fencing Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KMES-1500	1200	1500	54
12KMES-1550	1200	1550	56
12KMES-1600	1200	1600	58
12KMES-1650	1200	1650	59
12KMES-1700	1200	1700	61
12KMES-1750	1200	1750	63
12KMES-1800	1200	1800	65
12KMES-1850	1200	1850	67
12KMES-1900	1200	1900	68
12KMES-1950	1200	1950	70
12KMES-2000	1200	2000	72




易语a4.pdf 9 2026/7/24 9:22:53

1200MM HIGH ENDUROSHIELD COATED TOUGHENED GLASS PANELS（VIC DEPOT ONLY）


EnduroShield Coated Glass Fence Hinge Panels

EnduroShield Coated Glass Fence Hinge Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KMES-1000HP	1200	1000	36
12KMES-1100HP	1200	1100	40
12KMES-1200HP	1200	1200	43
12KMES-1300HP	1200	1300	47
12KMES-1400HP	1200	1400	50
12KMES-1500HP	1200	1500	54
12KMES-1600HP	1200	1600	58
12KMES-1700HP	1200	1700	61
12KMES-1800HP	1200	1800	65
12KMES-1900HP	1200	1900	68
12KMES-2000HP	1200	2000	72



EnduroShield Glass Pool Fence Gate Panels

EnduroShield Coated Glass Fence Hinge Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
12KMES-800GP	1200	800	29
12KMES-800WP	1200	800	29
12KMES-900GP	1200	900	32
12KMES-900WP	1200	900	32



易语a4.pdf 10 2026/7/24 9:22:53

1350MM HIGH TOUGHENED GLASS POOL FENCE PANELS

1350mm High Glass Fence Panels


12mm Toughened Glass

600mm to 1600mm Wide (100mm Increment)

5mm Radius on Corners

All Flat Polished Edges

AS 2208:2023 Compliant



1350mm High Glass Fence Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
13KM-600	1350	600	24
13KM-700	1350	700	28
13KM-800	1350	800	32
13KM-900	1350	900	36
13KM-1000	1350	1000	41
13KM-1100	1350	1100	45
13KM-1200	1350	1200	49
13KM-1300	1350	1300	53
13KM-1400	1350	1400	57
13KM-1500	1350	1500	61
13KM-1600	1350	1600	63



易语a4.pdf 11 2026/7/24 9:22:54


KOMO GLASS


1350MM HIGH TOUGHENED GLASS POOL FENCE PANELS


1350mm High Glass Fence Hinge Panels

- 12mm Clear Toughened Glass
- 1000mm to 1200mm Wide (100mm Increment)
- 5mm Radius on Corners
- 2 X Hinge Cut Outs
- All Flat Polished Edges
- AS 2208 Compliant
- AS 1926.1-2024 Compliant


1350mm High Glass Fence Hinge Panels			
Code	Height(mm)	Width(mm)	Weight(kg)
13KM-1000HP	1350	1000	41
13KM-1100HP	1350	1100	45
13KM-1200HP	1350	1200	49











CORE DRILL SPIGOTS

240mm Length Square Standard Spigot

SPECIFICATION

2205 duplex stainless steel

Suits 10mm to 13.14mm thick glass

Semi-raised dress ring included

Finishes

Polish
CD-STD-P

Satin
CD-STD-S

Matte Black
CD-STD-B

Matte White
CD-STD-W

(AS 3000 8.3.6 INSULATION RESISTANCE TEST COMPLIANT FOR BLACK AND WHITE)

280mm Length Square Extended Spigot



Finishes


Polish
CD-EXT-P

Satin
CD-EXT-S

Matte Black
CD-EXT-B

Matte White
CD-EXT-W


(AS 3000 8.3.6 INSULATION RESISTANCE TEST COMPLIANT FOR ALL FINISHES)



NOTE: SATIN FINISHES MAY DEVELOP TEA STAINING WHEN EXPOSED TO WIND, RAIN OR MOISTURE. THIS DOES NOT APPLY TO THE INSULATED SPIGOT RANGE, AS ITS CLEAR COATING PREVENTS THIS.

易语a4.pdf 13 2026/7/24 9:22:54





BASE PLATED SPIGOT

160mm Square
Standard Spigot

SPECIFICATION

2205 duplex stainless steel

Suits 10mm to 13.14mm thick glass

Raised dress ring included

Finishes

Polish
DE-STD-P

Satin
DE-STD-S


Matte Black
DE-STD-B

Matte White
DE-STD-W

(AS 3000 8.3.6 INSULATION RESISTANCE TEST COMPLIANT FOR BLACK AND WHITE)

180mm Square
Extended Spigot





Finishes

Polish
DE-EXT-P

Satin
DE-EXT-S

Matte Black
DE-EXT-B

Matte White
DE-EXT-W

(AS 3000 8.3.6 INSULATION RESISTANCE TEST COMPLIANT FOR BLACK AND WHITE)

NOTE: SATIN FINISHES MAY DEVELOP TEA STAINING WHEN EXPOSED TO WIND, RAIN OR MOISTURE. THIS DOES NOT APPLY TO THE INSULATED SPIGOT RANGE, AS ITS CLEAR COATING PREVENTS THIS.



SIDE-MOUNT SPIGOTS

140mm Length Square Standard Spigot

SPECIFICATION

2205 duplex stainless steel

Suits 12mm thick glass


Finishes

Polish
SM-S-P

Satin
SM-S-S

Matte Black
SM-S-B

Matte White
SM-S-W



FACE-MOUNT SPIGOTS

307mm Length Square Standard Spigot

SPECIFICATION

2205 duplex stainless steel

Suits 12mm to 14.5mm thick glass


Finishes

Polish
FM-S-P

Satin
FM-S-S

Matte Black
FM-S-B







NOTE: SATIN FINISHES MAY DEVELOP TEA STAINING WHEN EXPOSED TO WIND, RAIN OR MOISTURE. THIS DOES NOT APPLY TO THE INSULATED SPIGOT RANGE, AS ITS CLEAR COATING PREVENTS THIS.


易语a4.pdf 15 2026/7/24 9:22:55

SPIGOT DRESS RINGS

Flat Dress Ring







Finishes


Polish
DR-F-P

Satin
DR-F-S


Matte Black
DR-F-B

Matte White
DR-F-W

Semi Raised Dress Ring







Finishes


Polish
DR-S-P


Satin
DR-S-S


Matte Black
DR-S-B

Matte White
DR-S-W

Raised Dress Ring







Finishes

Polish
DR-R.-P

Satin
DR-R-S


Matte Black
DR-R-B

Matte White
DR-R-W

NOTE: SATIN FINISHES MAY DEVELOP TEA STAINING WHEN EXPOSED TO WIND, RAIN OR MOISTURE. THIS DOES NOT APPLY TO THE INSULATED SPIGOT RANGE, AS ITS CLEAR COATING PREVENTS THIS.

易语a4.pdf 16 2026/7/24 9:22:55

SPIGOT PLACEMENT GUIDE



GAP: Gaps exceeding 100mm may fail to comply with AS 1926.1:2024.

Rigi Clamps (pages 25–27) can be considered for use to reduce deflection of glass fencing in high wind load areas.

Overall Width	A*	B*	C*
200mm	50mm	100mm	50mm
250mm	50mm	150mm	50mm
300mm	100mm	100mm	100mm
350mm	100mm	150mm	100mm
400mm	100mm	200mm	100mm
450mm	100mm	250mm	100mm
500mm	100mm	300mm	100mm
550mm	100mm	350mm	100mm
600mm	100mm	400mm	100mm
650mm	100mm	450mm	100mm
700mm	100mm	500mm	100mm
750mm	150mm	450mm	150mm
800mm	150mm	500mm	150mm
850mm	150mm	550mm	150mm
900mm	150mm	600mm	150mm
950mm	150mm	650mm	150mm
1000mm	150mm	700mm	150mm
1050mm	150mm	750mm	150mm
1100mm	200mm	700mm	200mm
1150mm	200mm	750mm	200mm
1200mm	200mm	800mm	200mm
1250mm	200mm	850mm	200mm
1300mm	200mm	900mm	200mm
1350mm	200mm	950mm	200mm
1400mm	250mm	900mm	250mm
1450mm	250mm	950mm	250mm
1500mm	250mm	1000mm	250mm
1550mm	250mm	1050mm	250mm
1600mm	250mm	1100mm	250mm
1650mm	250mm	1150mm	250mm
1700mm	250mm	1200mm	250mm
1750mm	250mm	1250mm	250mm
1800mm	300mm	1200mm	300mm
1850mm	300mm	1250mm	300mm
1900mm	300mm	1300mm	300mm
1950mm	300mm	1350mm	300mm
2000mm	300mm	1400mm	300mm



POLARIS SOFT CLOSE HINGE RANGES

Glass to Glass Hinge Set
125 Series- Pair Of 2

SPECIFICATION

- SS2205 stainless steel
- Suits 8mm to 12mm thick glass
- AS 1926.1 2024 Compliant
- Max door weight:40kg
- Max door width:900mm


Finishes


Polish
P-125G-P

Satin
P-125G-S


Matte Black
P-125G-B


Matte White
P-125G-W











Glass to Wall / Post Hinge Set
125 Series- Pair Of 2

SPECIFICATION

- SS2205 stainless steel
- Suits 8mm to 12mm thick glass
- AS 1926.1 2024 Compliant
- Max door weight:40kg
- Max door width:900mm

Finishes

Polish
P-125W-P

Satin
P-125W-S

Matte Black
P-125W-B

Matte White
P-125W-W



Glass to Square Post Mount Bracket SS2205 - Pair of 2

SPECIFICATION

- SS2205 stainless steel
- Suits 50mm square post
- Four 5mm fixing holes: 2 on 25mm
- return leg, 2 on inner plate
- AS 1926.1 2024 Compliant

Finishes


Polish
P-SPP

Satin
P-SPS

Matte Black
P-SPB

易语a4.pdf 18 2026/7/24 9:22:56





ATLANTIC SOFT CLOSE HINGE RANGES

Glass to Glass Hinge Set 530 Series-Pair of 2

SPECIFICATION

SS2205 stainless steel

Suits 8mm to 12mm thick glass

AS 1926.1 2024 Compliant

Max door weight:40KG

Pair of 2


Finishes

Polish
ATL-530G-P


Satin
ATL-530G-S

Matte Black
ATL-530G-B

Matte White
ATL-530G-W



10mm (3/8 ") to 15mm (19/32 ")



530 Glass to glass dimensions

atlantichinge.com

Glass to Wall Hinge Set 530 Series-Pair Of 2

SPECIFICATION

SS2205 stainless steel

Suits 8mm to 12mm thick glass

AS 1926.1 2024 Compliant


Finishes

Polish
ATL-530W-P


Satin
ATL-530W-S

Matte Black
ATL-530W-B

Matte White
ATL-530W-W



10mm (3/8 ") to 15mm (19/32 ")



530 Glass to wall dimensions

Glass to Square Post Mount Bracket SS2205-Pair Of 2

SPECIFICATION

SS2205 stainless steel

Suits 50mm square post

Four 5mm fixing holes: 2 on 25mm return leg, 2 on inner plate

AS 1926.1 2024 Compliant


Finishes

Polish
ATL-SPB-P

Satin
ATL-SPB-S


Matte Black
ATL-SPB-B

Matte White
ATL-SPB-W



易语a4.pdf 19 2026/7/24 9:22:56





ORION SOFT CLOSE HINGE RANGES

Glass to Glass Hinge Set - Pair Of 2

SPECIFICATION

SS2205 stainless steel

Suits 8mm to 12mm thick glass

AS 1926.1- 2019 Compliant

Finishes

Polish
O-GGH-P

Satin
O-GGH-S

Matte Black
O-GGH-B

Glass to Wall Hinge Set - Pair Of 2

SPECIFICATION

SS2205 stainless steel

Suits 8mm to 12mm thick glass

Fully Compliant with AS 1926




Finishes

Polish
O-GWH-P


Satin
O-GWH-S

Matte Black
O-GWH-B





CLASSIC SERIES
SPRING HINGE RANGE

Glass to Glass Hinge
Set- Pair Of 2









SPECIFICATION

- 304 stainless steel
- Suits 8mm to 12mm thick glass
- Fully Compliant with AS 1926
- Max door weight: 40kg
- Max door width:1000mm

Finishes

Polish
C-GGH-P

Satin
C-GGH-S

Matte Black
C-GGH-B

Glass to Wall Hinge
Set- Pair Of 2

SPECIFICATION


- 304 stainless steel
- Suits 8mm to 12mm thick glass
- Fully Compliant with AS 1926
- Max door weight: 40kg
- Max door width:1000mm


Finishes


Polish
C-GWH-P

Satin
C-GWH-S


Matte Black
C-GWH-B














易语a4.pdf 21 2026/7/24 9:22:57









LIBRA SERIES LATCHES

Libra 180 Degree
Glass to Glass Latch

SPECIFICATION

SS 2205 stainless steel 2205

Slim Elegant Design

Suits 8mm, 10mm & 12mm Glass Gates

Suits 12mm Toughened Glass Latch Panels

(Friction Fit to Latch Panels So No Drill Holes Required)

Smooth and Secure Latching Action,

Using a Patent Pending Double Bearing System

Fully Compliant with AS 1926

Finishes

Polish
Lib-180L-P

Satin
Lib-180L-S


Matte Black
Lib-180L-B

Matte White
Lib-180L-W

Libra Latch Lockable Latch Cap Kit







Libra 90 Degree External Glass to Glass Latch

Finishes

Polish
Lib-90EL-P

Satin
Lib-90EL-S

Matte Black
Lib-90EL-B

Matte White
Lib-90EL-W

Libra 90 Degree Internal Glass to Glass Latch




Finishes

Polish
Lib-90IL-P


Satin
Lib-90IL-S

Matte Black
Lib-90IL-B

Matte White
Lib-90IL-W







Libra Glass to Wall Latch

Finishes

Polish
Lib-GWL-P

Satin
Lib-GWL-S


Matte Black
Lib-GWL-B


Matte White
Lib-GWL-W

易语a4.pdf 23 2026/7/24 9:22:57

AERO SERIES LATCHES

Aero 180 Degree Glass to Glass Latch





SPECIFICATION

SS 2205 stainless steel 2205

Slim Elegant Design

Suits 8mm, 10mm & 12mm Glass Gates

Suits 12mm Toughened Glass Latch Panels

(Friction Fit to Latch Panels So No Drill Holes

Required)

Smooth and Secure Latching Action,

Using a Patent Pending Double Bearing

System

Fully Compliant with AS 192

Finishes

Polish
A-180L-P

Satin
A-180L-S

Matte Black
A-180L-B

Matte White
A-180L-W

Aero 90 Degree External Glass to Glass Latch


Finishes

Polish
A-90EL-P

Satin
A-90EL-S

Matte Black
A-90EL-B

Matte White
A-90EL-W



易语a4.pdf 24 2026/7/24 9:22:58

Aero 90 Degree Internal Glass to Glass Latch




Finishes

Polish
A-90IL-P

Satin
A-90IL-S


Matte Black
A-90IL-B

Matte White
A-90IL-W





Aero Glass to Wall Latch



Finishes

Polish
A-GWL-P

Satin
A-GWL-S


Matte Black
A-GWL-B


Matte White
A-GWL-W

易语a4.pdf 25 2026/7/24 9:22:58

CLASSIC SERIES LATCHES

Classic 180 Degree Glass to Glass Latch





SPECIFICATION


- SS 2205 stainless steel 2205
- Slim Elegant Design
- Suits 8mm, 10mm & 12mm Glass Gates
- Suits 12mm Toughened Glass Latch Panels
- (Friction Fit to Latch Panels So No Drill Holes Required)
- Smooth and Secure Latching Action,
- Using a Patent Pending Double Bearing System
- Fully Compliant with AS 1926

Finishes

Polish	Satin	Matte Black	Matte White
C-180-L-P	C-180-L-S	C-180-L-B	C-180-L-W

易语a4.pdf 26 2026/7/24 9:22:58





Classic 90 Degree External Glass to Glass Latch


Finishes

Polish
C-90EL-P

Satin
C-90EL-S

Matte Black
C-90EL-B

Matte White
C-90EL-W



Classic 90 Degree Internal Glass to Glass Latch

Finishes


Polish
C-90IL-P

Satin
C-90IL-S

Matte Black
C-90IL-B

Matte White
C-90IL-W





Classic Glass to Wall Latch

Finishes


Polish
C-GWL-P

Satin
C-GWL-S

Matte Black
C-GWL-B


Matte White
C-GWL-W

易语a4.pdf 27 2026/7/24 9:22:58



RIGI CLAMPS

Small 180 Degree Glass to Glass Clamp



SPECIFICATION

SS 316 stainless steel

Slim Elegant Design

Suits 12mm Glass

Finishes



Polish
CL-180-P

Satin
CL-180-S

Matte Black
CL-180-B

Matte White
CL-180-W

Long 180 Degree Glass to Glass Clamp

SPECIFICATION


SS 316 stainless steel

Slim Elegant Design

Suits 12mm Glass

Finishes







Polish
CL-180L-P

Satin
CL-180L-S

Matte Black
CL-180L-B

Matte White
CL-180L-W





90 Degree
Glass to Glass Clamp

SPECIFICATION

SS 316 stainless steel

Slim Elegant Design

Suits 12mm Glass

Finishes

Polish
CL-90-P

Satin
CL-90-S

Matte Black
CL-90-B

Matte White
CL-90-W

Adjustable
Glass to Glass Clamp


Finishes


Polish
CL-ADJ-P

Satin
CL-ADJ-S

Matte Black
CL-ADJ-B

Matte White
CL-ADJ-W





Offset
Glass to Wall Glass Clamp

Finishes

Polish
CL-SWC-P


Satin
CL-SWC-S

Matte Black
CL-SWC-B

Matte White
CL-SWC-W

易语a4.pdf 29 2026/7/24 9:22:59

Glass to Wall Glass Clamp



Finishes


Polish
CL-WC-P

Satin
CL-WC-S

Matte Black
CL-WC-B

Matte White
CL-WC-W





D Shape Glass Clamp

Finishes

Polish
CL-RDC-P

Satin
CL-RDC-S

Matte Black
CL-RDC-B

Matte White
CL-RDC-W

Square Glass Clamp


Finishes

Polish
CL-SDC-P


Satin
CL-SDC-S

Matte Black
CL-SDC-B

Matte White
CL-SDC-W



易语a4.pdf 30 2026/7/24 9:22:59



HEAVY DUTY SQUARE POSTS

Base Plate Heavy Duty Square Post

SPECIFICATION

SS 316 stainless steel

1300mm Height

Slim Elegant Design

Suits 12mm Glass Gates

Finishes



Polish
HDSP-DE-P


Satin
HDSP-DE-S




Matte Black
HDSP-DE-B

Matte White
HDSP-DE-W

Heavy Duty Square Post Raised Dress Ring





Finishes



Polish
HDSP-DR-R-P

Satin
HDSP-DR-R-S




Matte Black
HDSP-DR-R-B

Matte White
HDSP-DR-R-W

易语a4.pdf 31 2026/7/24 9:22:59

KOMO GLASS

STAINLESS STEEL POSTS



Core Drill Heavy Duty Square Post

SPECIFICATION

SS 316 stainless steel

1400mm Height

Slim Elegant Design

Suits 12mm Glass Gates

Finishes


Polish
HDSP-CD-P


Satin
HDSP-CD-S

Matte Black
HDSP-CD-B

Matte White
HDSP-CD-W

Heavy Duty Square Post Flat Dress Ring





Finishes

Polish
HDSP-DR-F-P

Satin
HDSP-DR-F-S

Matte Black
HDSP-DR-F-B

Matte White
HDSP-DR-F-W

易语a4.pdf 32 2026/7/24 9:23:00



FLAT TOP ALUMINIUM POOL FENCING

Flat Top Aluminium Pool Fencing Panel

SPECIFICATION

Height: 1200mm

Width: 2450mm

Vertical tubes: φ16 × 1.2 mm thick

Tube center spacing: 86 mm


Horizontal tubes drilled with holes, vertical tubes inserted, 6-point spot welding

Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-2450-B

Monument
FT-2450-M



Flat Top Aluminium Pool Gate Panel

SPECIFICATION

Height: 1200mm

Available Width: 980mm to 1500mm

Outer horizontal tube: 38 × 25 × 1.6 mm thick

Vertical tubes: φ16 × 1.2 mm thick, 11 pieces

Tube center spacing: 86 mm

Horizontal tubes drilled with holes, vertical tubes inserted, 6-point spot welding


Fully Compliant with AS 1926.4: 2024


Finishes

Black
FT-980G-B

Monument
FT-980G-M









Flat Top Aluminium DIY Gate Kit

SPECIFICATION

2 pcs / pack

Supplied with 4 pcs M4 × 16 stainless steel screws (316 grade), color matching the fittings

Suitable for 38 × 25 mm rails


Finishes

Black
FT-DIY-B

Monument
FT-DIY-M

Flat Top Aluminium Raked Panel





SPECIFICATION

Raked up to 15 degrees


Width: 1450mm


Height: 1400mm, 1600mm and 1800mm

Vertical tubes: φ16 × 1.2 mm, 16 pieces, tube center spacing 86 mm

Horizontal tubes: 38 × 25 × 1.6 mm, 3 pieces

Fully Compliant with AS 1926.4: 2024






Finishes

Black
FT-1400R-B
FT-1600R-B
FT-1800R-B

Monument
FT-1400R-M
FT-1600R-M
FT-1800R-M

易语a4.pdf 34 2026/7/24 9:23:00



ALUMINIUM POST AND ACCESSORIES

50x50 Aluminium Core Drill Post

SPECIFICATION

Size: 50mm x 50mm

Height: 1800mm, 2100mm and 2400mm

1.8mm wall thickness

Plastic Top Cap included — Color: Black

Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-CD-B

Monument
FT-CD-M

50x50 Aluminium Base Plated Post

SPECIFICATION

Size: 50mm x 50mm

Height: 1300mm, 1600mm and 1900mm

1.8mm wall thickness

Base Plate size: 100 × 100 × 10 mm

Plastic Top Cap included — Color: Black


Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-DE-B

Monument
FT-DE-M





易清a4.pdf 35 2026/7/24 9:23:01

Raised Dress Ring (2 Parts)

SPECIFICATION

Powder Coated Aluminium


110mm x110mm outer, 52mm x 52mm inner

Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-DR-B

Monument
FT-DR-M





Flat Top Aluminium Standard Bracket Packs

SPECIFICATION

4 pcs / pack

Supplied with 8 pcs M4 × 16 stainless steel screws (316 grade), color matching the fittings

Suitable for 38 × 25 mm rails

Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-BRK-B

Monument
FT-BRK-M





Flat Top Aluminium Adjustable Bracket Packs

SPECIFICATION

4 pcs / pack

Supplied with 8 pcs M4 × 16 stainless steel screws (316 grade), color matching the fittings

Suitable for 38 × 25 mm rails

Fully Compliant with AS 1926.4: 2024

Finishes

Black
FT-ADJ-B

Monument
FT-ADJ-M





SAFETECH NON-ADJUSTABLE HINGES AND LATCH KIT

Hinge

SPECIFICATION

- Engineered Polymers, Rust Resistant
- Stainless-Steel Pins & Springs
- Colour: Black
- Holding Weight (KG): 28
- Closing Weight (KG): 15
- Pool Compliant
- UV-Stabilized for added Strength

Latch

SPECIFICATION

- Engineered Polymers,
- Rust Resistant Stainless-Steel Pins
- Key Lockable, Keyless Options Available
- Colour: Black
- Suitable for Aluminum, Pool Gates,
- Steel, Timber or Vinyl Gates
- Pool Compliant



Adjustable Hinges and Latch Kit

Code: ST-ADJ



Key Lockable Kit

Code: ST-FIX-L



keyless Kit


Code: ST-FIX

Safetech Adjustable Hinges and Latch Kit


SPECIFICATION

- Engineered Polymers, Rust Resistant
- Stainless-Steel Pins & Springs
- Colour: Black
- Max Holding Weight (KG): 360
- Closing Weight (KG): 85
- Pool Compliant
- Suitable for Aluminium, Steel, Timber or Vinyl Gates

易语a4.pdf 37 2026/7/24 9:23:02



易语a4.pdf 38 2026/7/24 9:23:02



1400mm
or
1700mm

STAINLESS STEEL RODMO™ FENCING

SPECIFICATIONS

304 Grade Stainless Steel Post and Cap
R38.1 mm with 1.5mm thickness Round Post
Fully Compliant with AS 1926.1 :2024 & AS **3000**
Covers up to 1000mm per kit

Finishes:	Order Code:
Matte Black	ROD-CD1400/1700-B
Matte White	ROD-CD1400/1700-W

Kit included:



10 x Posts




10 x Stainless Caps



10 x 62mm Spacers



≥ 150MM



62mm Gap Between Post

The posts shall be embedded a minimum of 150mm into the concrete substrate and fixed using HES Grout to ensure compliance with AS 1926.

易语a4.pdf 39 2026/7/24 9:23:03





RODMO™ FENCING DRESS RING

SPECIFICATION


304 Grade Stainless Steel

Pack of 10

39.5mm inner diameter

60mm outer diameter


2mm thickness




Finishes

Matte Black
ROD-DR-B

Matte White
ROD-DR-W



易活a4.pdf 40 2026/7/24 9:23:03



The measurements and drawings in this catalogue are for guidance only and should not be used as the sole basis for installation.

Product codes, items, and prices may change from time to time as Komo Glass regularly updates its range. Please contact Komo Glassto confirm product codes, pricing, or availability.

Every installation site is different. It is the installer's responsibility to make sure the project meets any engineering, safety, or certification requirements.

Soil load and design considerations also vary by site—pleaseconsult an engineer for advice specific to your situation.

Colours shown in PDFs or printed materials are indicative only and may not exactly match the actual product colour.

All products should be used with proper care and maintenance to ensure long-lasting performance.

Copyright 2025, This catalogue is the property of Komo Glass.

No text or images may be copied or reproduced without prior written permission.